


axl.fs8.120rgb-10W



Features

- 5m roll flexible 8mm 120 red green blue LED/m
- Colour mixed #RGB
- 10 Watts/metre
- 24Volts DC
- One roll of 8mm, single-row, 3528 size, red green blue LEDs. Density is 120 LEDs per metre. Three input channels control each the red green and blue elements within each LED.
- 3 years warranty

Applications

- For indoor and integrated use. Outer jacket is heatshrunk plastic for easy cleaning.
- Features 8mm width strip with rich and balanced coloured light output.
- Suitable for home theatre, themed rooms, entertaining, bars, restaurants, outlining edges, up-lighting, alcoves and other ambient applications.

Physical

Dimension	
Strip width	8 mm
Cuttable length (min.)	5 cm
Printed circuit width	8 mm
Roll length	5 m
Material	
Strip base	Flexible printed circuit-board
Backing	Peel-off adhesive
Ingress rating	IP54






Electronic PRODUCT DATA SHEET

Connection	
Solder pads	4 [+] Positive (anode)
	[-] Green
	[-] Blue
	[-] Red
Component	
Light source/s	3528 RGB SMT LED
Source density	120 LED/m
Performance	
Voltage	24 V
Current	~417 mA
Power (per metre)	10 W/m

Optical

Output	
Lumens	? Lm/m
Beam angle	120 °
Colour	
Red, Green, Blue	RGB

Models



axl.fs8.120rgb-10W



- 1. Installation surface must be smooth, clean and dry.
- 2. The part of LED components cannot be fixed on the surface of the
- 3. Strip should not be collided or crushed.
- 4. Strip can be cut following the cutting lines.

Note: Please quote the full product code while placing the order, along with the required colour temperature option where specified.